



Welches AMP-Programm benötige ich für Kaliber?

Kaliber	Hülse	Kommentar	Pilot Nr.	Analysecode
17	17 Hornet		43	043 A
17	17 Hornet Ackley Imp.		43	043 A
17	17 CCM	(ex-22 CCM)	78	078 C
17	17 VHA		78	078 A
17	17 Mach IV		2	002 D
17	17 Bee AI	(ex-218 Bee)	2	002 A
17	17 Rem. Fireball		2	002 D
17	17 Rem.		18	018 A
17	17 / 223 Rem.		3	003 A
17	17 AccuRat		1	001 A
4.6 mm	4.6 x 30 H&K		78	Sample required
19	19 Gopher		78	078 A
19	19 Badger		2	002 E
19	19 Carlson		2	002 A
19	19 Carlson PPC5		86	086 A
19	19 Calhoon		43	043 A
20	20 VCC		2	002 A
20	20 SCC		2	002 A
20	20 Vartarg		2	002 A
20	20 Extreme	(ex-222R)	4	004 A
20	20 Tactical		3	003 A
20	20 Practical		3	003 A
20	204 Ruger		19	019 A
20	20 AccuRat		1	001 A
20	20 PPC	Software update issued 15 January 2020	1	001 C
20	20 BR		10	010 A
5 mm	5/35 SMc		10	010 B
5.45 mm	5.45 x 39	Software update issued 14 Dec. 2020	85	085 C
5.56 mm	5.56 x 45		3	003 A
22	22 CCM		78	078 C
22	22 Hornet		43	043 A
22	22 K Hornet		43	043 A
22	218 Bee		83	083 A

22	218 Mashburn Bee		2	002 C
22	22 Grendel	Software update issued 14 Dec. 2020	16	016 D
22	221 Rem. Fireball		2	002 A
22	22 Jet	Software update issued 15 January 2020	81	081 B
22	222 Rem.		4	004 A
22	222 Rem. Rimmed		4	004 A
22	222 Rem. Mag.		5	005 A
22	22 PPC Short		86	086 A
22	22 PPC		1	001 A
22	220 Russian		1	001 A
22	22 BR (ex-6 BR)		10	010 A
22	22 Dasher	Note: download latest software version released 7 May 2019 to validate pilot code.	52	052 C
22	223 Rem.		3	003 A
22	223 Rem. Ackley Imp.	Note: download latest software version released 25 May 2019 to validate pilot code.	3	003 B
22	5.6 x 50 R Mag.		6	006 A
22	5.6 x 52R (Savage Hi Power)		53	053 B
22	219 Donaldson Wasp		53	053 B
22	219 Zipper	Requires July 2021 software update	62	062 C
22	225 Winchester		44	044 A
22	22 x 47 Lapua		50	050 A
22	224 Valkyrie		85	085 A
22	22 Nosler		80	080 A
22	224 Wby. Mag.		7	007 A
22	22.250 Rem.		7	007 A
22	22.250 Rem. Ackley Imp.		7	007 A

22	22 Creedmoor		17	017 C
22	220 Swift		8	008 A
22	220 Swift Ackley Imp.		8	008 A
22	223 WSSM		46	046 A
22	22 - 243W		11	011 C
22	22 - 6mm Rem. Ackley Imp.		9	009 C
22	22 Cheetah		70	070 C
5.7 mm	5.7 x 28 FN		78	078 B
6 mm	6 x 220 Russian		1	001 A
6 mm	6 x 38 Arden	(ex-223R)	2	002 E
6 mm	6 x 47mm 222Mag-based version	(222 Mag based)	5	005 A
6 mm	6mm ARC		1	001 B
6 mm	6mm x 223 Rem.		3	003 A
6 mm	6mm Hagar		62	062 B
6 mm	6mm PPC		1	001 A
6 mm	6mm PPC Plus 50		1	001 A
6 mm	6mm Grendel		16	016 A
6 mm	6mm Grendel Imp.		16	016 A
6 mm	TAC 6	Software update issued 15 January 2020	33	033 B
6 mm	GAP 6 GT	Formed from 6.5 x 47 Lapua ONLY	73	073 B
6 mm	GAP 6 GT	Factory brass - Hornady, Alpha etc.	73	073 C
6 mm	6mm Fat Rat		16	016 C
6 mm	6mm AR Turbo 40		16	016 B
6 mm	6mm BR		10	010 D
6 mm	6mm JDP		10	010 A
6 mm	6mm BR Ackley Imp.		10	010 A
6 mm	6mm BRX		64	064 A
6 mm	6mm Dasher		52	052 A
6 mm	6 - 250		7	007 A
6 mm	6mm Creedmoor		17	017 B
6 mm	6mm Creedmoor Ackley Improved		17	017 B
6 mm	6mm SIP	(ex-6.5 Creedmoor)	11	011 C
6 mm	6mm Fat Dawg		73	073 A
6 mm	6mm International		50	050 C
6 mm	6mm XC		50	050 B
6 mm	6 Mojo		7	007 C
6 mm	6 x 47 Lapua		50	050 A
6 mm	6mm Smack		50	050 C
6 mm	6mm Swiss Match		50	050 C

6 mm	243 Win.		11	011 C
6 mm	243 Win. Ackley Imp.		11	011 A
6 mm	6 SLR		11	011 A
6 mm	6mm Competition Match		70	070 B
6 mm	6mm Rem.		9	009 B
6 mm	6mm Rem. Ackley Imp.		9	009 A
6 mm	6mm Shankle		70	070 A
6 mm	6 x 62R		14	014 A
6 mm	243 WSSM		46	046 A
6 mm	6 - 284 Win.		12	012 B
6 mm	240 Wby. Mag		B49	049 A
25	256 Win. Mag		1	001 B
25	25-20 WCF		82	082 B
25	25 x 45 Sharps		3	003 A
25	25 - 35 Winchester		62	062 A
25	250 - 3000 Savage		7	007 C
25	250 - 3000 Savage Ackley Imp.		7	007 C
25	25 x 47 Lapua		50	050 A
25	257 Roberts		9	009 C
25	257 Roberts +P		9	009 C
25	257 Roberts +P Ackley Imp.		9	009 D
25	257 Roberts Ackley Imp.		9	009 D
25	25-303		34	034 A
25	25 Krag		9	009 E
25	25 Souper	(ex-308W)	11	011 C
25	25 Creedmoor		17	017 A
25	25 x 284		12	012 B
25	25 WSSM		46	046 C
25	25-06 Rem.		14	014 D
25	25-06 Rem. Ackley Imp.		14	014 D
25	25 Sherman Short Tactical		72	072 B
25	257 Wby. Mag		B15	015 B
25	257 STW		B23	023 A
6.5 mm	6.5 BR		10	010 D
6.5 mm	6.5 Rem. SPC		53	053 A
6.5 mm	6.5 x 50 Japanese		7	007 B
6.5 mm	6.5 x 52 Carcano		11	011 A
6.5 mm	6.5 Grendel		16	016 A
6.5 mm	6.5 x 54 Mannlicher		70	070 C
6.5 mm	6.5 x 55 Swedish		9	009 A
6.5 mm	6.5 x 55 Ackley Imp.		9	009 A
6.5 mm	6.5 x 55 TRI		9	009 A
6.5 mm	6.5 Addiction		9	009 A

6.5 mm	6.5 GWI		9	009 A
6.5 mm	6.5 XC		50	050 B
6.5 mm	6.5 x 47 Lapua		50	050 C
6.5 mm	6.5 Outlaw	ex- 6.5 x 47 L	17	017 B
6.5 mm	260 Rem.		11	011 A
6.5 mm	260 Rem. Ackley Imp.		11	011 A
6.5 mm	6.5 x 308 Palma Imp.		11	011 A
6.5 mm	6.5 SLR		11	011 A
6.5 mm	6.5 Creedmoor		17	017 A
6.5 mm	6.5 x 57 R		9	009 E
6.5 mm	6.5-284		12	012 A
6.5 mm	6.5 Rem. Mag.		21	021 C
6.5 mm	6.5 x 65 R		75	075 A
6.5 mm	6.5- 270 Win.		14	014 A
6.5 mm	6.5 x 06		14	014 A
6.5 mm	6.5 - 06 Baer		14	014 A
6.5 mm	6.5 Sherman (long)		75	075 A
6.5 mm	6.5 - 06 Ackley Imp.		14	014 A
6.5 mm	6.5 Sherman Short Mag.		72	072 A
6.5 mm	6.5 PRC		20	020 C
6.5 mm	6.5 SAUM		20	020 C
6.5 mm	6.5 x 68	Software update issued 14 Dec. 2020	31	031 C
6.5 mm	6.5 x 300 PRC	Software update issued 14 Dec. 2020	31	031 D
6.5 mm	6.5 SAUM GAP 4S		20	020 C
6.5 mm	6.5 x 270 WSM		51	051 B
6.5 mm	264 Win. Mag.		B15	015 A
6.5 mm	6.5 x 300 Wby. Mag.		B30	030 B
6.5 mm	6.5 Wby. RPM		66	sample needed
6.5 mm	26 Nosler		66	066 A
27	6.8 Rem. SPC		53	053 A
27	270 Ren.		43	043 A
27	270 Max		4	004 B
27	270 Win.		14	014 A
27	270 WSM		51	051 A
27	270 Wby. Mag.		B15	015 B
27	27 Nosler		66	066 A
7 mm	7 JI (John Illum)		2	002 E
7 mm	7mm TCU		3	003 A
7 mm	7 BR		10	010 C
7 mm	7 / 30 Waters		62	062 A
7 mm	7 mm US		53	053 C
7 mm	7 - 08 Rem.		11	011 A
7 mm	7 x 444 AI		9	009 D

7 mm	7 x 57 Mauser (inc. 7 x 57R)		9	009 B
7 mm	7 x 65 R		75	075 A
7 mm	284 Win.		12	012 A
7 mm	284 Walker		12	012 A
7 mm	284 Shehane		12	012 A
7 mm	280 Rem.		14	014 A
7 mm	280 Rem. Ackley Imp.		14	014 A
7 mm	7 x 64 Brenneke		B15	015 B
7 mm	7mm Sherman Short Mag		72	072 B
7 mm	7mm BBM		69	069 A
7 mm	7 x 61 S&H (inc. 7 x 61 Super)	Software update issued 15 January 2020	B58	058 A
7 mm	7mm Rem. SAUM		20	020 C
7 mm	7mm Saki	(RSAUM Improved)	20	020 A
7 mm	7mm Rem. Mag.		B15	015 A
7 mm	7 - 270 WSM		51	051 A
7 mm	7 - 300 WSM		21	021 A
7 mm	7mm WSM		21	021 A
7 mm	7mm Wby. Mag.		B15	015 B
7 mm	7-300 Win. Mag.		B29	029 A
7 mm	7mm LRM		22	022 B
7 mm	7mm Practical (and 7mm Mashburn)		B29	029 A
7 mm	7mm Dakota		22	022 A
7 mm	7 x 300 Blaser Mag (7mm Stumpy)		22	022 A
7 mm	7 x 66 Vom Hofe		31	031 A
7 mm	7mm - 375 Ruger		38	038 A
7 mm	7mm - 300 Norma Mag.		67	067 B
7 mm	7mm - 300 Norma Mag AI		67	067 C
7 mm	7mm Blaser Mag.		65	065 A
7 mm	7mm STW		B23	023 A
7 mm	7mm Rem Ultra Mag.		24	024 A
7 mm	28 Nosler		66	066 B
7 mm	7mm Allen Mag		37	037 A
7.5 mm	7.5 x 55		57	057 A
30	30 M1 Carbine		2	002 B
30	30 TNT Supermag		4	004 B
30	300 Blackout		2	002 B
30	7.62 x 38R (Nagant)		2	002 C
30	7.62 x 40 Wilson Tac		4	004 B
30	7.62 x 39		33	033 A
30	30 Stingray		16	016 A

30	300 HAM'r		18	018 A
30	30 BR Short		83	083 B
30	30/30 Win.		62	062 A
30	300 Savage		7	007 C
30	30 Herrett		53	053 C
30	30 BR		10	010 C
30	30 BRX		64	064 A
30	30 Dasher		52	052 A
30	30 BRS	(30 PPC)	1	001 A
30	30 Rem. AR		25	025 A
30	30 x 47		50	050 C
30	308 Marlin Express		26	026 A
30	308 Win.		11	011 B
30	30 - 40 Krag		9	009 D
30	30 TC		7	007 C
30	30 x 57	(ex 8mm Mauser)	35	035 A
30	30 - 06 Springfield		14	014 A
30	30 - 06 Springfield Ackley Imp.		14	014 A
30	30 - 284 Win.		12	012 A
30	308 Otey		63	063 A
30	300 H&H		B29	029 B
30	300 PRC	Note: download latest software version released 7 May 2019 to validate pilot code.	31	031 B
30	30 Sherman Mag		38	038 A
30	300 Rem. SAUM		20	020 A
30	308 Norma Mag		B27	027 A
30	30R Blaser		B30	030 A
30	300 WSM		21	021 A
30	300 Ruger Compact Mag		28	Sample required
30	30 - 338 Win. Mag.		B15	015 B
30	300 Win. Mag.		B29	029 A
30	300 Wby. Mag.		B30	030 A
30	300 Wby. Mag. Ackley Imp.		B30	030 A
30	300 Jarrett		B23	023 A
30	300 Dakota		31	031 A
30	300 Blacktornado		67	067 B
30	300 Norma Mag.		67	067 A
30	7.82 Lazzeroni Warbird		40	040 A

30	300 Rem. Ultra Mag.		24	024 B
30	30 - 338 Lapua Mag. Ackley Imp.		37	037 C
30	30 Nosler		66	066 A
30	30 - 378 Wby. Mag.		B32	032 A
30	7.62 x 53R		59	059 A
30	7.62 x 54R		59	059 B
30	303 Savage	Revised pilot and code. Requires July 2021 software update	73	073 D
30	303 British		34	034 A
7.65 mm	7.65 x 53 Argentine		35	035 A
7.7 mm	7.7 x 58 Japanese		14	014 C
7.92 mm	7.92 x 33 Kurz	Software update issued 15 January 2020	83	083 B
32	32 - 20 WCF		2	002 B
32	32-40 WCF		61	061 A
32	32 Miller Short		2	002 B
8 mm	8 x 58R Danish	Software update issued 14 Dec. 2020	60	060 B
32	32 Win. Special		62	062 A
8 mm	8 x 50R Lebel		69	069 B
8 mm	8 x 57 Mauser		35	035 A
8 mm	8mm-06		14	014 D
8 mm	323 Varntresk		14	014 D
8 mm	8 x 60R Kropatschek	Requires July 2021 software update	95	095 A
8 mm	325 WSM		21	021 D
8 mm	8 x 68 S	Software update issued 14 Dec. 2020	31	031 E
8 mm	8mm Rem Mag.		B23	023 B
8.5 mm	8.5 x 63		75	075 B
33	338 Spectre		82	082 A
33	338 BR	(ex- 7 BR)	10	010 F
33	338 Federal		11	011 B
33	338 Marlin Express		36	Sample required
33	338 - 303		34	034 A
33	338 - 284 Win.		12	012 A
33	338 Gibbs/Scoville	(ex-35 Whelan)	14	014 A
33	338 - 06 Ackley Imp.		14	014 D

33	338 Ruger Compact Mag.		20	Sample required
33	338 Win. Mag.		B15	015 C
33	338 WSM		21	021 C
33	330 Dakota		31	031 A
33	338 Blaser		22	Sample required
33	338 Super	(ex-300 Wby Mag)	B30	030 C
33	340 Wby. Mag.		B30	030 A
33	33 Nosler		22	022 A
33	338 Norma Mag.		67	067 A
33	338 Norma Mag. AI		67	067 B
33	338 Rem. Ultra Mag.		24	024 A
33	338 Edge		24	024 B
33	338 Lapua Mag.		37	037 A
33	338 Lapua Mag. Ackley Imp.		37	037 B
33	338 Terminator		37	037 B
33	338-378 Wby.		B32	032 C
33	338 Excalibur		B32	032 B
33	33 XC	Note: software released 28 March 2019 or subsequent must be loaded onto annealer to enable pilot code	92	092 A
33	338 Sniper Tac.		56	056 B
33	338 Raptor		84	084 A
33	338 - 375 Cheytac		56	056 A
35	357 Herrett	Software update issued 14 Dec. 2020	53	053 D
33	348 Winchester		21	021 B
35	357 Maximum		4	004 B
35	357 Magnum	Note: software released 28 May 2019 or subsequent must be loaded onto annealer to enable pilot code	81	081 A

35	357-44 Bain&Davis		83	083 A
35	350 Legend		53	053 B
35	35 Remington		50	050 A
35	358 Win.		11	011 B
35	350 Rem. Mag.		21	021 C
35	35 Whelan		14	014 D
35	35 Whelan Imp.		14	014 A
35	358 Otey		54	054 A
35	35 HRC		B15	015 A
35	358 Norma Mag.		B27	Sample required
35	358 S. Times Alaskan		B23	023 A
35	35 - 300 Dakota		31	031 A
35	358 S. Times Alaskan		B23	023 A
9 mm	9 mm Mauser		35	035 A
36	360 x 2 1/4 BPE		35	035 A
36	400/360 Purdey	Software update issued 15 January 2020	B29	029 D
9.3 mm	9.3 x 62		B15	015 B
9.3 mm	9.3 x 64 Brenneke		54	054 A
9.3 mm	9.3 x 66 Sako		B29	029 C
9.3 mm	9.3 x 74R		B23	023 B
37	375 Winchester		34	034 A
37	375 JDJ (x 444 Marlin)		35	035 A
37	375 x 444 Bellm		35	035 A
37	375.06 Ackley Imp.		14	014 E
37	375 H&H		B30	030 B
37	376 Steyr		63	063 A
37	375 Ruger		38	038 A
37	375 Wby. Mag.		B39	039 A
37	375 Dakota		31	Sample required
37	375 Sniper Tac Ackley Imp.		56	056 A
37	375 Rem. Ultra Mag		24	024 A
37	375 - 338 Lapua		37	037 A
37	37 XC	Note: software released 28 March 2019 or subsequent must be loaded onto annealer to enable pilot code	92	092 B

37	375 Lethal Magnum	Note: download latest software version released 27 May 2019 to validate pilot code.	B93	093 A
37	378 Wby. Mag.		B32	Sample required
37	375 EnABELR	(Mark II only)	88	088 A
37	375 Cheytac		56	056 A
37	375 Spinella	Note: download latest software version released 27 May 2019 to validate pilot code.	508	508 A
38	38 - 40 Win.		10	010 C
38	38 - 55 Win.		61	061 A
38	38-70		60	060 B
40	40 - 65 Win.		45	045 A
40	40 - 70 Sharps Straight		14	014 B
40	40 - 82 Win. (inc. silhouette)		60	060 A
40	405 Win.		54	054 A
10.3 mm	10.3 x 60R		20	020 B
10.4 mm	10.4 x 38 R	Note: download latest software version released 7 May 2019 to validate pilot code.	74	074 B
40	450/400 Nitro Express 3		41	041 A
40	408 Cheytac		56	056 A
41	41 Rem. Mag.		10	010 F
41	416 Taylor		B15	015 A
41	416 Rigby		40	040 A
41	416 Ruger		38	Sample required
41	416 Rem. Mag.		B23	023 B

41	416 Dakota		41	Sample required
41	416-338 Lapua Mag.		37	037 D
41	416 Wby. Mag.		B32	Sample required
41	416 Barrett	Mark II annealers only	401	Click HERE for details
41	404 Jeffery		38	038 A
42	42 Russian	Requires July 2021 software update.	21	021 E
43	43 Spanish		21	021 B
43	43 Mauser		21	021 B
11.15 mm	11.15 x 58R Werndl	Software update issued 14 Dec. 2020	71	071 B
44	44 Rem. Mag.		10	010 E
44	44-40 WCF	We did not get consistent results with these cases	10	010 C
44	445 Super Mag.		50	Sample required
45	45 Raptor		50	050 B
44	444 Marlin		35	035 A
45	45 Colt		83	083 A
45	454 Casull		52	052 B
45	458 SOCOM		55	055 A
45	450 Bushmaster		77	077 A
45	45 - 110		B29	029 C
45	45 - 70 Govt.		45	045 B
45	45 - 75 Win.	Requires July 2021 software update. Do not use 046 A. Analyse code 047 A is correct, using actual pilot 46	46	047 A
45	45 - 90 Win.		60	060 A
45	45-100 (45-2.6)		B29	029 B

45	45 - 120	Sharps Note: download latest software version released 25 May 2019 to validate pilot code.	94	094 A
45	450 Marlin		20	020 B
45	577 x 450 Martini Henry (Mark II annealers only)	Note: Pilot #91 needs lip removed to allow for oversized shell holder. A new pilot will be issued.	91	091 B
45	458 Win. Mag.	Software update issued 14 Dec. 2020	B15	015 D
45	450 Rigby		40	040 A
45	450 Nitro Express 3 1/4"		68	068 A
45	500 x 450 Nitro 3 1/4"		68	068 A
45	460 SW		50	050 B
11.7 mm	11.7 x 51R	Software update issued 14 Dec. 2020	45	045 C
45	458 Lott		B30	030 A
45	460 Wby. Mag.		B32	Sample required
46	460 Steyr Mark II only	Software update issued 14 Dec. 2020	515	515 A
47	470 Nitro Express		68	068 A
47	475 Turnbull		21	021 B
50	50 AE		74	074 A
50	500 Linebaugh Long		95	N/A
50	500 SW		71	071 A
50	50 - 70 Govt.		69	69 A
50	50 Beowulf		71	071 A
50	50 - 110 (510 Kodiak)		65	Sample required
50	50-90 Sharps		37	037 A
50	500 Nitro Express		B32	032 A
50	500 Jeffery		79	079 A
50	50 BMG	Mark II only	501	501 A
50	Wildcat	Mark II only	502	

50	50 BMG McMurdo Imp.	Mark II only	503	503 A
50	Wildcat	Mark II only	504	
50	Wildcat	Mark II only	505	
50	Wildcat	Mark II only	506	
50	Wildcat	Mark II only	507	
50	375 Spinella	Mark II "Wildcat 21" only	508	508 A
50	375 HammerHead	Mark II "Wildcat 21" only	509	4000 series
50	Wildcat	Mark II only	510	
50	375 Libert	Mark II only	511	4000 series
50	Wildcat	Mark II only	512	
50	50 DTC	Mark II "Wildcat 21" only. Software update issued 15 January 2020	513	513 A
57	577 Nitro Express 3		90	090 A
57	577 Snyder	Note: Pilot #91 needs lip removed to allow for oversized shell holder. A new pilot will be issued.	91	091 A
50	505 Gibbs		89	089 A